

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

Supercedes Date: 10-Oct-2018

Revision Date 18-Oct-2018 Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom +44 (1785) 272650

Ireland +353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

2.2. Label Elements

Not classified

Signal word

None

Hazard statements

Not classified

EU Specific Hazard Statements

EUH208 - Contains 3(2H)-Isothiazolone, 4,5-dichloro-2-octyl-. May produce an allergic reaction

EUH210 - Safety data sheet available on request

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

2.3. Other Hazards

No information available

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

SECTION 3: Composition/information on ingredients

EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

•

3.1 Substances

Supercedes Date: 10-Oct-2018

Not applicable

3.2 3.2 Mixtures

Chemical Name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	932-078-5		>25 - <40	Asp. Tox. 1 (H304)		01-2119552497- 29-xxxx
Triacetoxy(propyl)silane	241-816-9	17865-07-5	1 - <3	Skin Corr. 1B (H314)		01-2119966899- 07-XXXX
Silanetriol, methyl-, triacetate	224-221-9	4253-34-3	1 - <3	Skin Corr. 1C (H314) Acute Tox. 4 (H302) (EUH014)		01-2119962266- 32-XXXX
3(2H)-Isothiazolone, 4,5-dichloro-2-octyl-	264-843-8	64359-81-5	0.01 - <0.1	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 4 (H302) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (410)		No data available

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If irritation persists or eye and/or

skin remains bonded: Get medical advice/attention.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation

persists or eye and/or skin remains bonded: Get medical advice/attention.

Skin contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

Revision Date 18-Oct-2018

Revision Number 1.01

EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. If irritation persists or eye and/or skin remains

Revision Date 18-Oct-2018

Revision Number 1.01

bonded: Get medical advice/attention.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

No information available. **Symptoms**

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Supercedes Date: 10-Oct-2018

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Full water jet. Do not scatter spilled material with high pressure water streams. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Bonds skin and eyes in seconds.

chemical

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal **Personal precautions**

protective equipment as required. See section 8 for more information.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow to enter into **Environmental precautions**

soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product **Methods for containment**

and place into a container for later disposal.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

Supercedes Date: 10-Oct-2018 Revision Number 1.01

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Use personal protection equipment. Do not eat, drink or

Revision Date 18-Oct-2018

smoke when using this product. See section 8 for more information.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Wash thoroughly after handling. Take off all

contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from food,

drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other Information Observe technical data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face ProtectionTight sealing safety goggles. **Skin and Body Protection**Tight sealing safety goggles.

Suitable protective clothing.

Environmental Exposure Controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Paste / Gel

Appearance No information available

ColourWhiteOdourAcetic acid.

Odour Threshold No information available

EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

·

Remarks • Method

<u>Property</u> <u>Values</u>

pH No data available
Melting point / freezing point
Boiling point / boiling range > 300 °C
Flash Point > 100 °C
Evaporation Rate
Flammability (solid, gas)
No data available
No data available

Flammability Limit in Air

Supercedes Date: 10-Oct-2018

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour Pressure No data available **Vapour Density** No data available **Relative Density** No data available **Water Solubility** Immiscible in water No data available Solubility(ies) Partition coefficient No data available **Autoignition Temperature** No data available No data available **Decomposition Temperature Kinematic Viscosity** No data available **Dynamic Viscosity** No data available **Explosive properties** No data available **Oxidising properties** No data available

9.2. Other information

Solid content (%)

Softening Point

Molecular Weight

VOC (volatile organic compound)

No information available
No information available
No information available

Density 0.97 g/cm³

Bulk Density No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical None.

mpact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Revision Date 18-Oct-2018

Revision Number 1.01

EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

Hazardous decomposition

Supercedes Date: 10-Oct-2018

products

None under normal use conditions. Stable under recommended storage conditions.

Revision Date 18-Oct-2018

Revision Number 1.01

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Bonds skin and eyes in seconds.

Skin contact Bonds skin and eyes in seconds.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 64,000.00

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	LD50 > 5000 mg/kg (rat) OECD 401	LD50 > 2000 mg/kg (rabbit) OECD 402	
Silanetriol, methyl-, triacetate 4253-34-3	LD50 = 1600 mg/kg (Rat) OFCD 401		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

Supercedes Date: 10-Oct-2018

Revision Date 18-Oct-2018 Revision Number 1.01

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Micro-organisms	Crustacea	M-Factor
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	EL50 (72h) > 10 000 mg/L (Skeletonema costatum)	LL50 (96h) > 1028 mg/L (Scophthalmus maximus)	-	LL50 (48h) > > 3193 mg/l (Acartia tonsa)	-
3(2H)-Isothiazolone, 4,5-dichloro-2-octyl- 64359-81-5	EC50 (72h) =0.025 mg/L Algae (Scenedesmus subspicatus)(OEC D 201)	LC50 (96h) 0.0078 mg/L Fish (Oncorhynchus mykiss)(OECD 203)	-	EC50 (48h) 0.0097 mg/L Daphnia magna (OECD 202)	-

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulative potential There is no data for this product.

Component Information

Chemical Name	Partition coefficient
3(2H)-Isothiazolone, 4,5-dichloro-2-octyl-	4.4
64359-81-5	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . The components in this formulation do not meet the criteria for classification as PBT or

vPvB.

Chemical Name	PBT and vPvB assessment
Triacetoxy(propyl)silane 17865-07-5	The substance is not PBT / vPvB
Silanetriol, methyl-, triacetate 4253-34-3	The substance is not PBT / vPvB

12.6. Other adverse effects

Other Adverse Effects No information available.

SECTION 13: Disposal considerations

EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

13.1. Waste treatment methods

Supercedes Date: 10-Oct-2018

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

Revision Date 18-Oct-2018

Revision Number 1.01

international regulations as applicable.

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the

product itself.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other Information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN Number Not regulated Not regulated 14.2 Proper Shipping Name 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing Group 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

IMDG

14.1 UN Number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing Group 14.5 Marine Pollutant

None 14.6 Special Provisions

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Air transport (ICAO-TI / IATA-DGR)

14.1 UN Number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing Group Not regulated Not applicable 14.5 Environmental hazards

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No.

EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

·

1907/2006 (REACH), Article 59)

Supercedes Date: 10-Oct-2018

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 18-Oct-2018

Indication of changes

Revision Note SDS sections updated: 2, 3, 11.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of

Revision Date 18-Oct-2018

Revision Number 1.01

EVO-STIK MULTI-PURPOSE SILICONE SEALANT WHITE

Supercedes Date: 10-Oct-2018

Revision Date 18-Oct-2018 Revision Number 1.01

its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet