



H. P. L. S. Transmission Treatment (+ stop leak)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

MSDS Version: E05.01

Date of issue: 28/02/2018

Blend Version: 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : H. P. L. S. Transmission Treatment (+ stop leak)
Product code : W59408

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Use of the substance/mixture : Oil additive
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Wynn's Belgium
Industriepark-West 46
9100 Sint-Niklaas - Belgium
T +32 3 766 60 20 - F +32 3 778 16 56
msds@wynns.eu - www.wynns.com

1.4. Emergency telephone number

Emergency number : BIG: +32(0)14/58.45.45 (NL FR EN DE)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319
Skin Sens. 1 H317
Aquatic Chronic 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning
Hazardous ingredients : Alkylamine trialkyldithiophosphate phosphate
Hazard statements (CLP) : H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP) : P102 - Keep out of reach of children.
P280 - Wear protective gloves, eye protection.
P302+P352 - IF ON SKIN: Wash with plenty of water/...
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor
P273 - Avoid release to the environment.

2.3. Other hazards

No additional information available

H. P. L. S. Transmission Treatment (+ stop leak)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	% w	Classification according to Regulation (EC) No. 1272/2008 [CLP]
poly long-chain alkyl methacrylate	(CAS-No.) confidential	10 - 25	Eye Irrit. 2, H319
bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	1 - 2,5	Aquatic Chronic 4, H413
Alkylamine trialkyldithiophosphate phosphate	(CAS-No.) Confidential	1 - 2,5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
C16-18-(even numbered, saturated and unsatd.)-alkylamines (Oleylamine)	(CAS-No.) 1213789-63-9 (112-90-3) (EC-No.) 627-034-4 (204-015-5) (REACH-no) 01-2119473797-19	0,1 - 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Keep victim at rest in half upright position. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Keep watching the victim. Give psychological aid. Prevent cooling by covering the victim (no warming up). Keep the victim calm, avoid physical strain. If necessary seek medical advice.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Tingling/irritation of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. AFFF foam. ABC-powder.
------------------------------	---------------------------------------

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Combustible liquid.
Explosion hazard	: Product is not explosive.

5.3. Advice for firefighters

Firefighting instructions	: Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

H. P. L. S. Transmission Treatment (+ stop leak)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill area may be slippery. No open flames. No smoking.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable gloves and eye/face protection.

Emergency procedures : Mark the danger area. Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain leaking substance, pump over in suitable containers.

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Clean preferably with a detergent - Avoid the use of solvents.

Other information : Caution : this product can cause the floor to be very slippery.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Presents no particular risk when handled in accordance with good occupational hygiene practice. Meet the legal requirements.

Hygiene measures : Use good personal hygiene practices. Wash contaminated clothing before reuse. IF ON SKIN: Gently wash with plenty of soap and water.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep cool. Protect from sunlight. Store in a closed container.

Storage area : Meet the legal requirements. Protect from heat and direct sunlight.

Special rules on packaging : Store in a closed container. Labelling according to.

7.3. Specific end use(s)

See product bulletin for detailed information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified (64742-54-7)

PNEC (Oral)

PNEC oral (secondary poisoning) 9,33 mg/kg food

bis(2-ethylhexyl) adipate (103-23-1)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal 25,5 mg/kg bodyweight/day

Long-term - systemic effects, inhalation 17,8 mg/m³

DNEL/DMEL (General population)

Long-term - systemic effects, oral 1,7 mg/kg bodyweight/day

Long-term - systemic effects, inhalation 4,4 mg/m³

Long-term - systemic effects, dermal 13 mg/kg bodyweight/day

PNEC (Water)

PNEC aqua (freshwater) 0,0032 mg/l

PNEC aqua (marine water) 0,0032 mg/l

PNEC aqua (intermittent, freshwater) 0,0032 mg/l

PNEC (Sediment)

PNEC sediment (freshwater) 11,5 mg/kg dwt

PNEC sediment (marine water) 11,5 mg/kg dwt

H. P. L. S. Transmission Treatment (+ stop leak)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

bis(2-ethylhexyl) adipate (103-23-1)

PNEC (Soil)

PNEC soil 0,865 mg/kg dwt

PNEC (STP)

PNEC sewage treatment plant 35 mg/l

C16-18-(even numbered, saturated and unsatd.)-alkylamines (Oleylamine) (1213789-63-9 (112-90-3))

DNEL/DNEL (Workers)

Long-term - systemic effects, dermal 0,09 mg/kg bodyweight/day

Long-term - systemic effects, inhalation 0,38 mg/m³

PNEC (Water)

PNEC aqua (freshwater) 0,00026 mg/l

PNEC aqua (marine water) 0,000026 mg/l

PNEC (Sediment)

PNEC sediment (freshwater) 0,1794 mg/kg dwt

PNEC sediment (marine water) 0,01794 mg/kg dwt

PNEC (Soil)

PNEC soil 10 mg/kg dwt

PNEC (Oral)

PNEC oral (secondary poisoning) 0,22 mg/kg food

8.2. Exposure controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Does not require any specific or particular technical measures.

Personal protective equipment

: Gloves. Safety glasses.



Hand protection

: Neoprene. Nitrile rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Time of penetration is to be checked with the glove producer.

Respiratory protection

: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

Environmental exposure controls

: Avoid release to the environment.

Other information

: Breakthrough time : >30'. Thickness of the glove material >0,1 mm.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Viscous.

Colour : amber.

Odour : characteristic.

Odour threshold : No data available

pH :

Relative evaporation rate (butylacetate=1) : No data available

refraction index : 1,475

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : > 150 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

H. P. L. S. Transmission Treatment (+ stop leak)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Density @20°C	: 903 kg/m ³
Solubility	: insoluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic @40°C	: 421,11 mm ² /s
Viscosity, dynamic @40°C	: No data available
Viscosity	: 57,34 mm ² /s @100°C
Viscosity Index	: 206,32
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

Other properties	: Dimethylsulfoxide (DMSO) <3%.
Additional information	: The physical and chemical data in this section are typical values for this product and are not intended as product specifications.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Combustible liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from strong acids and strong oxidizers.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
----------------	------------------

Alkylamine trialkyldithiophosphate phosphate (Confidential)

ATE CLP (oral)	500 mg/kg bodyweight
----------------	----------------------

C16-18-(even numbered, saturated and unsatd.)-alkylamines (Oleylamine) (1213789-63-9 (112-90-3))

LD50 oral rat	1689 mg/kg bodyweight Sprague-Dawley
ATE CLP (oral)	1689 mg/kg bodyweight

bis(nonylphenyl)amine (36878-20-3)

LD50 oral rat	> 5000 mg/kg bodyweight Tif:RAIf(SPF), F3-crosses of RII 1/Tif X RII 2/Tif
LD50 dermal rat	> 2000 mg/kg bodyweight albino

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

H. P. L. S. Transmission Treatment (+ stop leak)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : This product contains hazardous components for the aquatic environment.
Ecology - water : Toxic to aquatic life with long lasting effects.

C16-18-(even numbered, saturated and unsatd.)-alkylamines (Oleylamine) (1213789-63-9 (112-90-3))

LC50 fish 1 96h 0,06 mg/l Pimephales promelas
EC50 Daphnia 1 48h 0,98 mg/l Daphnia magna
EC50 other aquatic organisms 1 72h 0,46 mg/l Desmodesmus subspicatus
EC50 other aquatic organisms 2 96h 0,04 mg/l Pseudokirchnerella subcapitata

bis(nonylphenyl)amine (36878-20-3)

LC50 fish 1 > 100 mg/l @96h Brachydanio rerio
EC50 Daphnia 1 > 100 mg/l @48h Daphnia magna

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Remove to an authorized waste treatment plant. Avoid release to the environment.
European List of Waste (LoW) code : 12 01 12* - spent waxes and fats
15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alkylamine), 9, III, (E)

14.3. Transport hazard class(es)

Class (ADR) : 9
Danger labels (ADR) : 9



14.4. Packing group

Packing group (ADR) : III

H. P. L. S. Transmission Treatment (+ stop leak)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards

Dangerous for the environment

:



Other information

: No supplementary information available.

14.6. Special precautions for user


14.6.1. Overland transport

Hazard identification number (Kemler No.) : 90

Classification code (ADR) : M6

Orange plates

:



Special provisions (ADR) : 274, 335, 375, 601

Transport category (ADR) : 3

Tunnel restriction code (ADR) : E

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

EAC code : •3Z

14.6.2. Transport by sea

EmS-No. (1) : F-A, S-F

14.6.3. Air transport

Instruction "cargo" (ICAO) : 964

Instruction "passenger" (ICAO) : 964

Instruction "passenger" - Limited quantities (ICAO) : Y964

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Water hazard class (WGK) : 2 - significant hazard to water

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)

Aquatic Acute 1

Aquatic Chronic 1

Aquatic Chronic 2

Acute toxicity (oral), Category 4

Hazardous to the aquatic environment — Acute Hazard, Category 1

Hazardous to the aquatic environment — Chronic Hazard, Category 1

Hazardous to the aquatic environment — Chronic Hazard, Category 2

H. P. L. S. Transmission Treatment (+ stop leak)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product