

SAFETY DATA SHEET LYNX ALUMINIUM REFILLABLE VENT AIR FRESHENER - BLACK

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name LYNX ALUMINIUM REFILLABLE VENT AIR FRESHENER - BLACK

Product number 61032

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Freshener

Uses advised againstNo specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Custom Accessories Europe

The Granary Standen Manor Hungerford Berkshire RG17 0RB

UK

T: +44 (0) 1488 662770 F: +44 (0) 1488 662771 E: info@caeurope.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 1488 662770 (9:00-17:00 Monday - Friday)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P102 Keep out of reach of children.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

LYNX ALUMINIUM REFILLABLE VENT AIR FRESHENER - BLACK

Sulfuric acid, calcium salt, hydrate (1:1:2) 60 - 100%

CAS number: 10101-41-4

ClassificationNot Classified

2,6-dimethyloct-7-en-2-ol 1 - <2.5%

Classification
Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical

personnel.

Inhalation The product is considered to be a low hazard under normal conditions of use. Move affected

person to fresh air and keep warm and at rest in a position comfortable for breathing. Get

medical attention if any discomfort continues.

Ingestion Rinse immediately with plenty of water. Do not induce vomiting. If vomiting occurs, the head

should be kept low so that vomit does not enter the lungs. Get medical attention.

Skin contact Wash skin thoroughly with soap and water. In the event of any sensitisation symptoms

developing, ensure further exposure is avoided. Get medical attention if irritation persists after

washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for

several minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. The product contains a small amount of sensitising substance.

Inhalation Symptoms following overexposure may include the following: Headache.

Ingestion Due to the physical nature of this product, it is unlikely that ingestion will occur. May be a

choking hazard. May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact May be slightly irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctorTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

LYNX ALUMINIUM REFILLABLE VENT AIR FRESHENER - BLACK

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards

None known.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Carbon dioxide (CO2). Carbon monoxide (CO).

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate

ventilation. Avoid contact with eyes and prolonged skin contact.

6.2. Environmental precautions

Environmental precautions

Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. For personal protection, see Section 8. Keep out of the reach of children. The product contains a sensitising substance. Avoid contact with eyes and prolonged skin contact. Persons susceptible to allergic reactions should not handle this product.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep in a cool place. Do not store near heat sources or expose to high temperatures.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

LYNX ALUMINIUM REFILLABLE VENT AIR FRESHENER - BLACK

Occupational exposure limits

Sulfuric acid, calcium salt, hydrate (1:1:2)

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

WEL = Workplace Exposure Limit

8.2. Exposure controls

Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protectionNo specific eye protection required during normal use. Eyewear complying with an approved

standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard

EN166.

Hand protection No specific requirements are anticipated under normal conditions of use. Large Spillages:

Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European

Standard EN374.

Hygiene measuresGood personal hygiene procedures should be implemented. Persons susceptible to allergic

reactions should not handle this product. When using do not eat, drink or smoke. Wash hands

thoroughly after handling.

Respiratory protection No specific requirements are anticipated under normal conditions of use. Large Spillages:

Provide adequate ventilation. If ventilation is inadequate, suitable respiratory protection must be worn. Ensure all respiratory protective equipment is suitable for its intended use and is

'CE'-marked.

Environmental exposure

controls

Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid.

Colour Not available.

Odour Characteristic.

Odour threshold Not available.

pH Not applicable.

Melting point Not available.

Initial boiling point and range Not applicable.

Flash point Not available.

Evaporation rate Not available.

Evaporation factor Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or

explosive limits

Not available.

Vapour pressure Not available.

LYNX ALUMINIUM REFILLABLE VENT AIR FRESHENER - BLACK

Vapour density Not available. Not available. Relative density

Bulk density Not available.

Solubility(ies) Not available.

Partition coefficient Not available.

Not available. **Auto-ignition temperature**

Decomposition Temperature

Viscosity Not available.

Not considered to be explosive. **Explosive properties**

Does not meet the criteria for classification as oxidising. Oxidising properties

Not available.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD50) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD50) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Based on available data the classification criteria are not met. Notes (inhalation LC₅₀)

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

LYNX ALUMINIUM REFILLABLE VENT AIR FRESHENER - BLACK

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation May cause sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro

Based on available data the classification criteria are not met.

Genotoxicity - in vivo

Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. The product contains a sensitising substance.

Inhalation Symptoms following overexposure may include the following: Headache.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact May cause temporary eye irritation.

Route of exposure Inhalation Ingestion Skin and/or eye contact

Toxicological information on ingredients.

2,6-dimethyloct-7-en-2-ol

Acute toxicity - oral

Notes (oral LD₅o 4100 mg/kg/day, Oral, Rat REACH dossier information.

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o >5000 mg/kg, Dermal, Rabbit REACH dossier information.

Skin corrosion/irritation

Animal data Erythema/eschar score: Well defined erythema (2). Oedema score: Slight oedema -

edges of area well defined by definite raising (2). REACH dossier information.

SECTION 12: Ecological information

LYNX ALUMINIUM REFILLABLE VENT AIR FRESHENER - BLACK

12.1. Toxicity

Toxicity The product is not expected to be hazardous to the environment. However, large or frequent

spills may have hazardous effects on the environment.

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

12.4. Mobility in soil

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. Avoid discharge to the aquatic environment. This material and its

container must be disposed of in a safe way.

Disposal methods Waste packaging should be collected for reuse or recycling. Dispose of contents/container in

accordance with local regulations.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

Nο

14.6. Special precautions for user

Not applicable.

LYNX ALUMINIUM REFILLABLE VENT AIR FRESHENER - BLACK

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.

Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

IMDG: International Maritime Dangerous Goods.

LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC₅₀: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

Key literature references and

sources for data

REACH dossier information. Source: European Chemicals Agency, http://echa.europa.eu/

Supplier's information.

Training advice Read and follow manufacturer's recommendations.

Revision comments This is the first issue.

Revision date 13/08/2019

SDS number 5095

Hazard statements in full H315 Causes skin irritation.

H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.