

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AF53890E WILD BERRY - LIQUID WICK

Version: 1

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

Product identifier: AF53890E WILD BERRY - LIQUID WICK

Other identifiers: None.

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses:

#### 1.3 Details of the supplier of the safety data sheet

Company name: Winplus Europe Limited  
Company address: Unit 4 Two Counties Estate, off Falconer Road,  
Haverhill, Suffolk, UK CB9 7XZ  
Contact: Technical Manager  
E-Mail address: [customerservice@winplus-europe.com](mailto:customerservice@winplus-europe.com)  
Company phone: 44 01440 713888

#### 1.4 Emergency telephone number

Emergency phone: 01440 713888 (Hours of Operation Mon-Fri 9am-5pm)

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Classification under Directive 1999/45/EC

Hazard symbols: None.

#### 2.2 Label elements

Classification under Directive 1999/45/EC

Risk phrases: R10, Flammable.  
R52/53, Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases: S61, Avoid release to the environment. Refer to special instructions/safety data sheet.

Symbols: None.

Other hazards: None.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AF53890E WILD BERRY - LIQUID WICK

Version: 1

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

Contains:

Name	CAS	EC	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008
1-methoxy-2-propanol	107-98-2	203-539-1	14.99900%	- ; R67	-;-,-
Ethylene Brassylate	105-95-3	203-347-8	1.0999999 00%	N ; R51/53	EH C2;H411,-
Verdox	88-41-5	201-828-7	0.7999999 00%	N ; R51/53	EH C2;H411,-
Linalyl Acetate	115-95-7	204-116-4	0.3999999 00%	N ; R51/53	-;-,-
limonene	5989-27-5	227-813-5	0.3826999 00%	Xi-N ; R38-R43-R50/53	SCI 2-SS 1-AH 1-EH A1-EH C1;H304-H315-H317-H410,-
METHYL IONONE	127-51-5	204-846-3	0.3600%	Xi-N ; R43-R51/53	SS 1-EH C2;H317-H411,-
Hexyl Acetate	142-92-7	205-572-7	0.1999999 00%	N ; R51/53	FL 3-EH C2;H226-H411,-
Amyl Salicylate	2050-08-0	218-080-2	0.1599999 00%	N ; R50/53	EH A1-EH C1;H410,-
(E)-1-(2,6,6-trimethyl-1-cyclohex-3-enyl) but-2-en-1-one	57378-68-4	260-709-8	0.1499999 00%	Xn-N ; R22-R38-R43-R50/53	ATO 4-SCI 2-SS 1-EH A1-EH C1;H302-H315-H317-H410,-
Di Methyl Benzyl Carbinyl Butyrate	10094-34-5	233-221-8	0.1435199 00%	N ; R51/53	EH C2;H411,-

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Amyl Acetate (Iso)	628-63-7	211-047-3	0.0599999%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

### Section 4. First-aid measures

#### 4.1 Description of first aid measures

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

#### 4.2 Most important symptoms and effects, both acute and delayed

None expected, see Section 4.1 for further information.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AF53890E WILD BERRY - LIQUID WICK

Version: 1

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AF53890E WILD BERRY - LIQUID WICK

Version: 1

Ingredient	CAS	EC	Description	ppm	mg/m3	Reference
Amyl Acetate (Iso)	628-63-7	211-047-3	Long-term exposure limit (8-hour TWA reference period)	-	-	-
			Short-term exposure limit (15-minute reference period)	-	-	-

### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	47 °C
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined

9.2 Other information: None available

### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AF53890E WILD BERRY - LIQUID WICK

Version: 1

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

### Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC, in accordance with Regulation (EC) No 1907/2006 (REACH). In addition, toxicity information for the mixture, if available, is provided below in accordance with methods given in Regulation (EC) No 1272/2008.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity:	0
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity:	0
Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity:	Not Available
Inhalation Route:	Not Available

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

### Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AF53890E WILD BERRY - LIQUID WICK

Version: 1

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

14.1 UN number: UN1169  
14.2 UN Proper Shipping Name: EXTRACTS, AROMATIC, LIQUID  
14.3 Transport hazard class(es): 3  
Sub Risk: -  
14.4. Packing Group: III  
14.5 Environmental hazards: Not environmentally hazardous for transport  
14.6 Special precautions for user: None additional  
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:  
Not applicable

### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Flammable Liquid, Hazard Category 3  
Hazardous to the Aquatic Environment - Long-term Hazard Category 3

Signal word: Warning

Hazard statements: H226, Flammable liquid and vapour.  
H412, Harmful to aquatic life with long lasting effects.

Supplemental Information: EUH208, Contains (E)-1-(2,6,6-trimethyl-1-cyclohex-3-enyl) but-2-en-1-one. May produce an allergic reaction.

Precautionary statements: P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
P233, Keep container tightly closed.  
P240, Ground/bond container and receiving equipment.  
P241, Use explosion-proof electrical, ventilating and lighting equipment.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AF53890E WILD BERRY - LIQUID WICK

Version: 1

P242, Use only non-sparking tools.  
 P243, Take precautionary measures against static discharge.  
 P273, Avoid release to the environment.  
 P280, Wear protective gloves/eye protection/face protection.  
 P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  
 P403/235, Store in a well-ventilated place. Keep cool.  
 P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATO 4	Acute Toxicity - Oral Category 4
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AF53890E WILD BERRY - LIQUID WICK

Version: 1

P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P330	Rinse mouth.
P331	Do not induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.