



SAFETY DATA SHEET

Brake & Parts Cleaner 'For Professional Use Only'

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Brake & Parts Cleaner 'For Professional Use Only'
Product number	HMAI0201A, HMAI0202A
UFI	UFI: M0Y5-M02H-S00D-W310
REACH registration notes	This is a MIXTURE; no registration information contained in this document . Holts are classed as Downstream User.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Car maintenance product.
------------------------	--------------------------

1.3. Details of the supplier of the safety data sheet

Supplier	Holt Lloyd International Ltd Barton Dock Road Stretford Manchester M32 0YQ - England, UK +44 (0) 161 866 4800 FAX +44 (0) 161 866 4854 www.holtsauto.com
Contact person	Contact Email address: info@holtsauto.com

1.4. Emergency telephone number

Emergency telephone	UK - 00 44 (0) 161 866 4800 Office hrs = 0900 - 1700 hrs
National emergency telephone number	National Poisons Information Service City Hospital, Birmingham B187QH, United Kingdom Telephone: +44 121 507 4123 Email: allistervale@npis.org, sallybradberry@npis.org www.npis.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Flam. Liq. 2 - H225
Health hazards	Skin Irrit. 2 - H315 STOT SE 3 - H336 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Chronic 2 - H411

2.2. Label elements

Brake & Parts Cleaner 'For Professional Use Only'

Hazard pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
 H315 Causes skin irritation.
 H336 May cause drowsiness or dizziness.
 H304 May be fatal if swallowed and enters airways.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 Avoid breathing vapour/ spray.
 P271 Use only outdoors or in a well-ventilated area.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P501 Dispose of contents/ container in accordance with national regulations.

UFI

UFI: MOY5-M02H-S00D-W310

Contains

Hydrocarbons, C6, Isoalkanes, <5% n-Hexane, Hydrocarbons, C7, N-Alkanes, Isoalkanes, Cyclics

Detergent labelling

≥ 30% aliphatic hydrocarbons

Supplementary precautionary statements

P240 Ground and bond container and receiving equipment.
 P241 Use explosion-proof electrical equipment.
 P242 Use non-sparking tools.
 P243 Take action to prevent static discharges.
 P264 Wash contaminated skin thoroughly after handling.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312 Call a POISON CENTRE/doctor if you feel unwell.
 P332+P313 If skin irritation occurs: Get medical advice/ attention.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hydrocarbons, C6, Isoalkanes, <5% n-Hexane	60-100%
CAS number: 64742-49-0	EC number: 931-254-9
	REACH registration number: 01-2119484651-34-XXXX
Classification	
Flam. Liq. 2 - H225	
STOT SE 3 - H336	
Asp. Tox. 1 - H304	
Aquatic Chronic 2 - H411	

Brake & Parts Cleaner 'For Professional Use Only'

Hydrocarbons, C7, N-Alkanes, Isoalkanes, Cyclics	30-60%
CAS number: —	REACH registration number: 01-2119475515-33-XXXX
Classification	
Flam. Liq. 2 - H225	
Skin Irrit. 2 - H315	
STOT SE 3 - H336	
Asp. Tox. 1 - H304	
Aquatic Chronic 2 - H411	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air at once. For breathing difficulties, oxygen may be necessary. If breathing stops, provide artificial respiration. Keep affected person warm and at rest. Get medical attention immediately.
Ingestion	Do not induce vomiting. Remove affected person from source of contamination. Rinse mouth thoroughly with water. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention immediately.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Vapours may cause headache, fatigue, dizziness and nausea.
Ingestion	May cause discomfort if swallowed.
Skin contact	Causes skin irritation. Prolonged or repeated exposure may cause severe irritation.
Eye contact	May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam. Dry chemicals, sand, dolomite etc.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Oxides of carbon.
--------------------------------------	-------------------

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses.

Brake & Parts Cleaner 'For Professional Use Only'

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of vapours and contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from oxidising materials, heat and flames. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Hydrocarbons, C6, Isoalkanes, <5% n-Hexane (CAS: 64742-49-0)

DNEL

- Workers - Inhalation; Long term systemic effects: 1286.4 mg/m³
- Workers - Inhalation; Long term local effects: 837.5 mg/m³
- Workers - Inhalation; Short term local effects: 1066.67 mg/m³
- General population - Inhalation; Long term systemic effects: 1152 mg/m³
- General population - Inhalation; Long term local effects: 178.57 mg/m³

Hydrocarbons, C7, N-Alkanes, Isoalkanes, Cyclics

DNEL

- Workers - Inhalation; Long term systemic effects: 2085 mg/m³
- Workers - Dermal; Long term systemic effects: 300 mg/kg/day
- General population - Inhalation; Long term systemic effects: 447 mg/m³
- General population - Dermal; Long term systemic effects: 149 mg/kg/day
- General population - Oral; Long term systemic effects: 149 mg/kg/day

8.2. Exposure controls

Protective equipment



Brake & Parts Cleaner 'For Professional Use Only'

Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Wear protective gloves. It is recommended that gloves are made of the following material: Rubber (natural, latex). To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Do not eat, drink or smoke when using this product.
Respiratory protection	Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Colourless liquid.
Odour	Characteristic.
Flash point	< 0°C Closed cup.
Relative density	~0.672 @ 20°C

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
------------------	--

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid	Avoid heat. Avoid contact with the following materials: Oxidising agents. Reducing agents.
----------------------------	--

10.5. Incompatible materials

Materials to avoid	No specific requirements are anticipated under normal conditions of use.
---------------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO ₂).
---	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	No information available.
------------------------------	---------------------------

Acute toxicity - oral

Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
-------------------------------------	--

Acute toxicity - dermal

Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
---------------------------------------	--

Brake & Parts Cleaner 'For Professional Use Only'

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Negative.

Genotoxicity - in vivo Negative.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Central and/or peripheral nervous system damage.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard May be fatal if swallowed and enters airways.

Inhalation

Vapours may cause headache, fatigue, dizziness and nausea.

Ingestion

May cause discomfort if swallowed.

Skin contact

Causes skin irritation. Prolonged or repeated exposure may cause severe irritation.

Eye contact

May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation.

Acute and chronic health hazards

Inhalation May cause respiratory system irritation. Prolonged and repeated contact with solvents over a long period may lead to permanent health problems. Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Nausea, vomiting. Headache.

Toxicological information on ingredients.

Hydrocarbons, C6, Isoalkanes, <5% n-Hexane

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ > 16750 mg/kg, Oral, Rat

Acute toxicity - dermal

Brake & Parts Cleaner 'For Professional Use Only'

Notes (dermal LD₅₀)	LD ₅₀ 3350 mg/kg, Dermal, Rabbit
<u>Acute toxicity - inhalation</u>	
Notes (inhalation LC₅₀)	LC ₅₀ 259354 mg/m ³ , Inhalation, Rat
<u>Skin corrosion/irritation</u>	
Skin corrosion/irritation	Not irritating.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Based on available data the classification criteria are not met.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	No information available.
<u>Skin sensitisation</u>	
Skin sensitisation	Not sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Negative.
Genotoxicity - in vivo	Negative.
<u>Carcinogenicity</u>	
Carcinogenicity	Based on available data the classification criteria are not met. NOAEC 31680 mg/m ³ , Inhalation, Mouse
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Two-generation study - NOAEC 31680 mg/m ³ , Inhalation, Rat F1, F2
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	Central and/or peripheral nervous system damage.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	Based on available data the classification criteria are not met.
<u>Aspiration hazard</u>	
Aspiration hazard	May be fatal if swallowed and enters airways.
Inhalation	May cause drowsiness or dizziness.
Ingestion	May be fatal if swallowed and enters airways.
Skin contact	May be slightly irritating to skin.
Eye contact	May be slightly irritating to eyes.
<u>Hydrocarbons, C7, N-Alkanes, Isoalkanes, Cyclics</u>	
<u>Acute toxicity - oral</u>	
Notes (oral LD₅₀)	LD ₅₀ > 5840 mg/kg, Oral, Rat
<u>Acute toxicity - dermal</u>	
Notes (dermal LD₅₀)	LD ₅₀ > 2920 mg/kg, Dermal, Rat

Brake & Parts Cleaner 'For Professional Use Only'

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 > 23300 mg/m³, Inhalation, Rat

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Negative with metabolic activation. Negative without metabolic activation.

Genotoxicity - in vivo No specific test data are available.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - NOAEC 31680 mg/m³, Inhalation, Rat F1, F2

Specific target organ toxicity - single exposure

STOT - single exposure Central and/or peripheral nervous system damage.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard May be fatal if swallowed and enters airways.

Inhalation May cause drowsiness or dizziness.

Ingestion May be fatal if swallowed and enters airways.

Skin contact Causes skin irritation.

Eye contact May be slightly irritating to eyes.

Target organs Central nervous system

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Not determined.

Acute toxicity - aquatic invertebrates Not determined.

Brake & Parts Cleaner 'For Professional Use Only'

Acute toxicity - aquatic plants Not determined.

Acute toxicity - microorganisms Not determined.

Acute toxicity - terrestrial Not determined.

Chronic aquatic toxicity

Chronic toxicity - fish early life stage Not determined.

Short term toxicity - embryo and sac fry stages Not determined.

Chronic toxicity - aquatic invertebrates Not determined.

Ecological information on ingredients.

Hydrocarbons, C6, Isoalkanes, <5% n-Hexane

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 18.27 mg/l, QSAR

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 31.9 mg/l, QSAR

Acute toxicity - aquatic plants EL50, 72 hours: 13.56 mg/l, QSAR

Acute toxicity - microorganisms EL50, 48 hours: 15.81 mg/l, QSAR

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOELR, 28 days: 4.089 mg/l, QSAR

Chronic toxicity - aquatic invertebrates NOELR, 21 days: 7.138 mg/l, QSAR

Hydrocarbons, C7, N-Alkanes, Isoalkanes, Cyclics

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hours: 13.4 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 3 mg/l, Daphnia magna
NOEL, 48 hours: 2 mg/l, Daphnia magna

Acute toxicity - aquatic plants EL50, 72 hours: 10 mg/l, Raphidocelis subcapitata
NOEL, 72 hours: 6.3 mg/l, Raphidocelis subcapitata

Acute toxicity - microorganisms EL50, 48 hours: 26.81 mg/l, Tetrahymena pyriformis

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOELR, 28 days: 1.534 mg/l, QSAR

Chronic toxicity - aquatic invertebrates NOELR, 21 days: 1 mg/l,

Brake & Parts Cleaner 'For Professional Use Only'

12.2. Persistence and degradability

Persistence and degradability Expected to be readily biodegradable.

Ecological information on ingredients.

Hydrocarbons, C6, Isoalkanes, <5% n-Hexane

Persistence and degradability 98% 28 days Rapidly degradable

Hydrocarbons, C7, N-Alkanes, Isoalkanes, Cyclics

Persistence and degradability 98% 28 days Rapidly degradable

12.3. Bioaccumulative potential

Bioaccumulative potential Highly insoluble in water.

Ecological information on ingredients.

Hydrocarbons, C7, N-Alkanes, Isoalkanes, Cyclics

Bioaccumulative potential No information available.

Partition coefficient Scientifically unjustified.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

Hydrocarbons, C6, Isoalkanes, <5% n-Hexane

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

Hydrocarbons, C7, N-Alkanes, Isoalkanes, Cyclics

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Avoid the spillage or runoff entering drains, sewers or watercourses.

SECTION 14: Transport information

General Refer to the Dangerous Goods List for information on any Special Provisions 640C.

14.1. UN number

UN No. (ADR/RID) 3295

Brake & Parts Cleaner 'For Professional Use Only'

UN No. (IMDG)	3295
UN No. (ICAO)	3295
UN No. (ADN)	3295

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	HYDROCARBONS, LIQUID, N.O.S.
Proper shipping name (IMDG)	HYDROCARBONS, LIQUID, N.O.S.
Proper shipping name (ICAO)	HYDROCARBONS, LIQUID, N.O.S.
Proper shipping name (ADN)	HYDROCARBONS, LIQUID, N.O.S.

14.3. Transport hazard class(es)

ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

Transport labels



14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-E, S-D
ADR transport category	2
Emergency Action Code	3YE
Hazard Identification Number (ADR/RID)	33
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Brake & Parts Cleaner 'For Professional Use Only'

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).
Authorisations (Annex XIV Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Annex XVII Regulation 1907/2006)	No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Brake & Parts Cleaner 'For Professional Use Only'

Abbreviations and acronyms used in the safety data sheet	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
	ATE: Acute Toxicity Estimate.
	BOD: Biochemical Oxygen Demand.
	CAS: Chemical Abstracts Service.
	DNEL: Derived No Effect Level.
	EC ₅₀ : 50% of maximal Effective Concentration.
	GHS: Globally Harmonized System.
	IARC: International Agency for Research on Cancer.
	IATA: International Air Transport Association.
	ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
	IMDG: International Maritime Dangerous Goods.
	LC ₅₀ : Lethal Concentration to 50 % of a test population.
	LD ₅₀ : Lethal Dose to 50% of a test population (Median Lethal Dose).
	LOAEC: Lowest Observed Adverse Effect Concentration.
	LOAEL: Lowest Observed Adverse Effect Level.
	NOAEC: No Observed Adverse Effect Concentration.
	NOAEL: No Observed Adverse Effect Level.
	NOEC: No Observed Effect Concentration.
	PBT: Persistent, Bioaccumulative and Toxic substance.
	PNEC: Predicted No Effect Concentration.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.	
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.	
SVHC: Substances of Very High Concern.	
UVCB - Unknown or variable composition, complex reaction products or Biological materials.	
vPvB: Very Persistent and Very Bioaccumulative.	
Revision date	15/02/2021
Revision	8
Supersedes date	02/09/2020
SDS number	14491
Hazard statements in full	H225 Highly flammable liquid and vapour.
	H304 May be fatal if swallowed and enters airways.
	H315 Causes skin irritation.
	H336 May cause drowsiness or dizziness.
	H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.