



## SAFETY DATA SHEET

### Armor All® Cockpit Shine Lemon Fresh

According to Regulation (EC) No 1907/2006, Annex II, as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** Armor All® Cockpit Shine Lemon Fresh

**Product number** 85500EN

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning and restoring automotive interiors.

**Uses advised against** No specific uses advised against are identified.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Armored Auto UK Ltd  
Unit 16, Rassau Industrial Estate  
Ebbw Vale  
Gwent NP23 5SD  
UK  
Tel: +44 1495 350234  
Fax: + 44 1495 350431  
euregulatory@eu.spectrumbrands.com

##### 1.4. Emergency telephone number

**Emergency telephone** +44 1495 350234  
Monday - Thursday: 0830 - 1700  
Friday: 0830 - 1530

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

**Physical hazards** Aerosol 1 - H222, H229

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H336 Asp. Tox. 1 - H304

**Environmental hazards** Aquatic Chronic 3 - H412

**Physicochemical** Containers can burst violently or explode when heated, due to excessive pressure build-up. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited.

##### 2.2. Label elements

###### Pictogram



**Signal word** Danger

## Armor All® Cockpit Shine Lemon Fresh

|                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hazard statements</b>                      | <p>H222 Extremely flammable aerosol.</p> <p>H229 Pressurised container: may burst if heated</p> <p>H315 Causes skin irritation.</p> <p>H319 Causes serious eye irritation.</p> <p>H336 May cause drowsiness or dizziness.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Precautionary statements</b>               | <p>P102 Keep out of reach of children.</p> <p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P211 Do not spray on an open flame or other ignition source.</p> <p>P251 Do not pierce or burn, even after use.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Contains</b>                               | Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, propan-2-ol, White mineral oil (petroleum)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Detergent labelling</b>                    | ≥ 30% aliphatic hydrocarbons, < 5% perfumes, Contains BENZYL BENZOATE, D-LIMONENE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Supplementary precautionary statements</b> | <p>P261 Avoid breathing vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves, eye and face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P312 Call a POISON CENTER/ doctor if you feel unwell.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> |

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

|                                                                             |                      |
|-----------------------------------------------------------------------------|----------------------|
| <b>Hydrocarbons, C3-4-rich, petroleum distillate</b>                        | <b>50 - 100%</b>     |
| CAS number: 68512-91-4                                                      | EC number: 270-990-9 |
| <b>Classification</b><br>Flam. Gas 1 - H220<br>Press. Gas, Liquefied - H280 |                      |

## Armor All® Cockpit Shine Lemon Fresh

|                                                                                                                                            |                      |                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------------------------------------|
| <b>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</b>                                                                                    |                      | <b>10 - &lt;25%</b>                              |
| CAS number: —                                                                                                                              | EC number: 927-510-4 | REACH registration number: 01-2119475515-33-XXXX |
| <b>Classification</b><br>Flam. Liq. 2 - H225<br>Skin Irrit. 2 - H315<br>STOT SE 3 - H336<br>Asp. Tox. 1 - H304<br>Aquatic Chronic 2 - H411 |                      |                                                  |
| <b>propan-2-ol</b>                                                                                                                         |                      | <b>10 - &lt;25%</b>                              |
| CAS number: 67-63-0                                                                                                                        | EC number: 200-661-7 | REACH registration number: 01-2119457558-25-XXXX |
| <b>Classification</b><br>Flam. Liq. 2 - H225<br>Eye Irrit. 2 - H319<br>STOT SE 3 - H336                                                    |                      |                                                  |
| <b>White mineral oil (petroleum)</b>                                                                                                       |                      | <b>10 - &lt;25%</b>                              |
| CAS number: 8042-47-5                                                                                                                      | EC number: 232-455-8 | REACH registration number: 01-2119487078-27-XXXX |
| <b>Classification</b><br>Asp. Tox. 1 - H304                                                                                                |                      |                                                  |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                            |                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General information</b> | Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.                                                                                                                                                                                                                                                   |
| <b>Inhalation</b>          | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.                                                                                                                                           |
| <b>Ingestion</b>           | Rinse mouth thoroughly with water. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if any discomfort continues. |
| <b>Skin contact</b>        | Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing.                                                                                                                                                              |
| <b>Eye contact</b>         | Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms are severe or persist after washing.                                                                                                                                                                         |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                            |                                                                                                             |
|----------------------------|-------------------------------------------------------------------------------------------------------------|
| <b>General information</b> | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
|----------------------------|-------------------------------------------------------------------------------------------------------------|

## Armor All® Cockpit Shine Lemon Fresh

|                     |                                                                                                                                                                                                      |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>   | A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.           |
| <b>Ingestion</b>    | Due to the physical nature of this product, exposure by this route is unlikely. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis. |
| <b>Skin contact</b> | Repeated exposure may cause skin dryness or cracking. Redness. Irritating to skin.                                                                                                                   |
| <b>Eye contact</b>  | May cause discomfort. Irritating to eyes.                                                                                                                                                            |

### **4.3. Indication of any immediate medical attention and special treatment needed**

|                             |                                                                |
|-----------------------------|----------------------------------------------------------------|
| <b>Notes for the doctor</b> | Treat symptomatically. Keep affected person under observation. |
|-----------------------------|----------------------------------------------------------------|

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

|                                       |                                                                                                                                                  |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>   | Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. |
| <b>Unsuitable extinguishing media</b> | Do not use water jet as an extinguisher, as this will spread the fire.                                                                           |

### **5.2. Special hazards arising from the substance or mixture**

|                                      |                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Specific hazards</b>              | Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Vapours may form explosive mixtures with air. |
| <b>Hazardous combustion products</b> | Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.                                                                                                                                                                                                            |

### **5.3. Advice for firefighters**

|                                                      |                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Protective actions during firefighting</b>        | Use water to keep fire exposed containers cool and disperse vapours.                                                                                                                                                                                                                                                                                 |
| <b>Special protective equipment for firefighters</b> | Use protective equipment appropriate for surrounding materials. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. |

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

|                                    |                                                                                                                                                                                        |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal precautions</b>        | Wear protective clothing as described in Section 8 of this safety data sheet. Evacuate area. No smoking, sparks, flames or other sources of ignition near spillage. Risk of explosion. |
| <b>For non-emergency personnel</b> | No action shall be taken without appropriate training or involving any personal risk.                                                                                                  |

### **6.2. Environmental precautions**

|                                  |                                                                 |
|----------------------------------|-----------------------------------------------------------------|
| <b>Environmental precautions</b> | Avoid discharge into drains or watercourses or onto the ground. |
|----------------------------------|-----------------------------------------------------------------|

### **6.3. Methods and material for containment and cleaning up**

## Armor All® Cockpit Shine Lemon Fresh

**Methods for cleaning up**      Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Eliminate all ignition sources if safe to do so. Do not touch or walk into spilled material. Ventilate closed spaces before entering them. Use only non-sparking tools. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

### 6.4. Reference to other sections

**Reference to other sections**      See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions**      Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Provide adequate ventilation. Ground/bond container and receiving equipment. Keep away from heat, sparks and open flame.

**Advice on general occupational hygiene**      Avoid contact with eyes and prolonged skin contact. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions**      Store in a cool and well-ventilated place. Keep away from heat, sparks and open flame. Take precautionary measures against static discharges.

**Storage class**      Flammable compressed gas storage.

### 7.3. Specific end use(s)

**Specific end use(s)**      The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Hydrocarbons, C3-4-rich, petroleum distillate

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m<sup>3</sup>

##### propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

#### propan-2-ol (CAS: 67-63-0)

#### DNEL

Workers - Inhalation; Long term systemic effects: 500 mg/m<sup>3</sup>

Workers - Dermal; Long term systemic effects: 888 mg/kg/day

General population - Inhalation; Long term systemic effects: 89 mg/m<sup>3</sup>

General population - Dermal; Long term systemic effects: 319 mg/kg/day

General population - Oral; Long term systemic effects: 26 mg/kg/day

## Armor All® Cockpit Shine Lemon Fresh

### PNEC

- Fresh water; 140.9 mg/l
- Marine water; 140.9 mg/l
- STP; 2251 mg/l
- Sediment (Freshwater); 552 mg/kg
- Sediment (Marinewater); 552 mg/kg
- Soil; 28 mg/kg
- Oral; 160 mg/kg

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. All handling should only take place in well-ventilated areas. Avoid inhalation of vapours and spray/mists. Use explosion-proof electrical, ventilating and lighting equipment.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Wear tight-fitting, chemical splash goggles or face shield.

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended.

#### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

#### Hygiene measures

Do not smoke in work area. Wash promptly with soap and water if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.

#### Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.

#### Environmental exposure controls

Keep container tightly sealed when not in use.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

|                                 |                       |
|---------------------------------|-----------------------|
| Appearance                      | Aerosol.              |
| Colour                          | Colourless.           |
| Odour                           | Hydrocarbons. Citrus. |
| Odour threshold                 | Not determined.       |
| pH                              | Not determined.       |
| Melting point                   | Not relevant.         |
| Initial boiling point and range | Not relevant.         |
| Evaporation rate                | Not determined.       |

## Armor All® Cockpit Shine Lemon Fresh

|                                              |                                                                                                                                 |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Evaporation factor                           | Not determined.                                                                                                                 |
| Flammability (solid, gas)                    | Not determined.                                                                                                                 |
| Upper/lower flammability or explosive limits | Not determined.                                                                                                                 |
| Vapour pressure                              | 3300 - 5300 mbar @ 25°C                                                                                                         |
| Vapour density                               | Not determined.                                                                                                                 |
| Relative density                             | Not determined.                                                                                                                 |
| Bulk density                                 | 600 - 700 kg/m <sup>3</sup>                                                                                                     |
| Partition coefficient                        | Not determined.                                                                                                                 |
| Auto-ignition temperature                    | Not relevant.                                                                                                                   |
| Decomposition Temperature                    | Not relevant.                                                                                                                   |
| Viscosity                                    | Not determined.                                                                                                                 |
| Explosive properties                         | Not considered to be explosive.                                                                                                 |
| Oxidising properties                         | The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising. |

### 9.2. Other information

Volatile organic compound 95.80 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will not polymerise.

### 10.4. Conditions to avoid

Conditions to avoid Avoid exposing aerosol containers to high temperatures or direct sunlight. Avoid heat, flames and other sources of ignition. Avoid the accumulation of vapours in low or confined areas.  
Pressurised container: may burst if heated

### 10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Decomposition at ambient temperatures may generate the following substances: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Acrid smoke or fumes.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

## Armor All® Cockpit Shine Lemon Fresh

### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

### Skin corrosion/irritation

**Skin corrosion/irritation** Causes skin irritation.

### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye irritation.

### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** May be fatal if swallowed and enters airways.

### Toxicological information on ingredients.

#### Hydrocarbons, C3-4-rich, petroleum distillate

##### Germ cell mutagenicity

**Genotoxicity - in vivo** Chromosome aberration: Negative. REACH dossier information.

##### Reproductive toxicity

**Reproductive toxicity - fertility** One-generation study - NOAEC 10000 ppm, Inhalation, Rat P REACH dossier information.

**Reproductive toxicity - development** Developmental toxicity: - NOAEC: 10426 ppm, Inhalation, Rat REACH dossier information.

#### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

##### Acute toxicity - oral

## Armor All® Cockpit Shine Lemon Fresh

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 5,840.0

**Species** Rat

**Notes (oral LD<sub>50</sub>)** REACH dossier information. Read-across data.

**ATE oral (mg/kg)** 5,840.0

### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 2,800.0

**Species** Rat

**Notes (dermal LD<sub>50</sub>)** REACH dossier information. Read-across data.

**ATE dermal (mg/kg)** 2,800.0

### Acute toxicity - inhalation

**Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)** 23.3

**Species** Rat

**Notes (inhalation LC<sub>50</sub>)** REACH dossier information. Read-across data.

**ATE inhalation (vapours mg/l)** 23.3

### Skin corrosion/irritation

**Animal data** Dose: 0.5 ml, 4 hours, Rabbit Primary dermal irritation index: 1.42 Read-across data. REACH dossier information. Skin Irrit. 2 - H315

### Serious eye damage/irritation

**Serious eye damage/irritation** Dose: 0.2 ml, 7 days, Rabbit REACH dossier information. Based on available data the classification criteria are not met. Read-across data.

### Skin sensitisation

**Skin sensitisation** Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Read-across data. Based on available data the classification criteria are not met.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Chromosome aberration: Negative. REACH dossier information. Read-across data.

### Reproductive toxicity

**Reproductive toxicity - fertility** Two-generation study - NOAEL 10560 mg/m<sup>3</sup>, Inhalation, Rat F1 REACH dossier information. Based on available data the classification criteria are not met. Read-across data.

**Reproductive toxicity - development** Developmental toxicity: - NOAEC: 1200 ppm, Inhalation, Rat REACH dossier information. Read-across data. No evidence of reproductive toxicity in animal studies.

### propan-2-ol

### Acute toxicity - oral

## Armor All® Cockpit Shine Lemon Fresh

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 5,840.0

**Species** Rat

**Notes (oral LD<sub>50</sub>)** REACH dossier information.

**ATE oral (mg/kg)** 5,840.0

### Skin corrosion/irritation

**Animal data** Primary dermal irritation index: 0/4 Erythema/eschar score: Oedema score: REACH dossier information.

### Serious eye damage/irritation

**Serious eye damage/irritation** Dose: 0.1 ml, 1 second, Rabbit REACH dossier information. Irritating.

### Skin sensitisation

**Skin sensitisation** Buehler test - Guinea pig: Not sensitising. REACH dossier information.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Gene mutation: Negative. REACH dossier information.

**Genotoxicity - in vivo** Chromosome aberration: Negative. REACH dossier information.

### Carcinogenicity

**Carcinogenicity** NOEL 5000 ppm, Inhalation, Rat REACH dossier information.

### Specific target organ toxicity - single exposure

**STOT - single exposure** STOT SE 3 - H336 May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** NOAEC 5000 ppm, Inhalation, Rat REACH dossier information.

## White mineral oil (petroleum)

### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** > 5000 mg/kg, Rat REACH dossier information. Based on available data the classification criteria are not met.

### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** > 2000 mg/kg, Rabbit REACH dossier information. Based on available data the classification criteria are not met.

### Skin corrosion/irritation

**Animal data** Dose: 0.5 ml, 24 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). REACH dossier information. Not irritating.

### Serious eye damage/irritation

**Serious eye damage/irritation** Dose: 0.1 ml, 20 - 30 seconds, Rabbit REACH dossier information. Not irritating.

### Skin sensitisation

**Skin sensitisation** Buehler test - Guinea pig: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.

### Germ cell mutagenicity

## Armor All® Cockpit Shine Lemon Fresh

|                                          |                                                                                                                                                   |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Genotoxicity - in vitro</b>           | Bacterial reverse mutation test: Negative. REACH dossier information. Based on available data the classification criteria are not met.            |
| <b><u>Carcinogenicity</u></b>            |                                                                                                                                                   |
| <b>Carcinogenicity</b>                   | NOAEL ≥ 1200 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.                     |
| <b><u>Reproductive toxicity</u></b>      |                                                                                                                                                   |
| <b>Reproductive toxicity - fertility</b> | Screening - NOAEL ≥ 1000 mg/kg/day, Dermal, Rat P, F1 REACH dossier information. Based on available data the classification criteria are not met. |
| <b><u>Aspiration hazard</u></b>          |                                                                                                                                                   |
| <b>Aspiration hazard</b>                 | Aspiration hazard if swallowed.                                                                                                                   |

### SECTION 12: Ecological Information

#### 12.1. Toxicity

**Toxicity** Harmful to aquatic life with long lasting effects.

#### Ecological information on ingredients.

##### Hydrocarbons, C3-4-rich, petroleum distillate

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 49.47 mg/l, Algae  
REACH dossier information.  
QSAR

##### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

**Acute toxicity - fish** LL<sub>50</sub>, 96 hours: > 13.4 mg/l, Onchorhynchus mykiss (Rainbow trout)  
REACH dossier information.

**Acute toxicity - aquatic invertebrates** EL<sub>50</sub>, 48 hours: 3 mg/l, Daphnia magna  
REACH dossier information.  
Read-across data.

**Acute toxicity - aquatic plants** EL<sub>50</sub>, 72 hours: 29 mg/l, Selenastrum capricornutum  
REACH dossier information.  
Read-across data.

**Acute toxicity - microorganisms** EL<sub>50</sub>, 48 hours: 26.81 mg/l, Tetrahymena pyriformis  
QSAR  
REACH dossier information.

#### Chronic aquatic toxicity

**NOEC** 0.01 < NOEC ≤ 0.1

**Chronic toxicity - fish early life stage** NOELR, 28 days: 1.534 mg/l, Onchorhynchus mykiss (Rainbow trout)  
QSAR  
REACH dossier information.

**Chronic toxicity - aquatic invertebrates** NOELR, 21 days: 1 mg/l, Daphnia magna  
REACH dossier information.  
Read-across data.

##### propan-2-ol

## Armor All® Cockpit Shine Lemon Fresh

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 10000 mg/l, Pimephales promelas (Fat-head Minnow)  
REACH dossier information.

**Acute toxicity - aquatic invertebrates** LC<sub>50</sub>, 24 hours: > 10000 mg/l, Daphnia magna  
REACH dossier information.

### White mineral oil (petroleum)

**Acute toxicity - fish** LL<sub>50</sub>, 96 hours: > 100 mg/l, Onchorhynchus mykiss (Rainbow trout)  
REACH dossier information.

**Acute toxicity - aquatic invertebrates** LL<sub>50</sub>, 48 hours: > 100 mg/l, Daphnia magna  
REACH dossier information.

### 12.2. Persistence and degradability

**Persistence and degradability** The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

### Ecological information on ingredients.

#### Hydrocarbons, C3-4-rich, petroleum distillate

**Phototransformation** Water - DT<sub>50</sub> : 1906 days  
REACH dossier information.  
Calculation method.

**Biodegradation** Water - Degradation (100%): 385.5 hours  
REACH dossier information.  
The substance is readily biodegradable.

#### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

**Biodegradation** Water - Degradation (83%): 16 days  
Water - Degradation (98%): 28 days  
Read-across data.  
REACH dossier information.  
The substance is readily biodegradable.

#### propan-2-ol

**Biodegradation** Water - Degradation (53%): 5 days  
REACH dossier information.

**Biological oxygen demand** 1.19 - 1.72 g O<sub>2</sub>/g substance REACH dossier information.

**Chemical oxygen demand** 2.23 g O<sub>2</sub>/g substance REACH dossier information.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not determined.

### Ecological information on ingredients.

#### Hydrocarbons, C3-4-rich, petroleum distillate

**Partition coefficient** log Pow: 2.3058 REACH dossier information. QSAR

## Armor All® Cockpit Shine Lemon Fresh

### 12.4. Mobility in soil

**Mobility** The product has poor water-solubility.

### Ecological information on ingredients.

#### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

**Surface tension** 20.7 mN/m @ 25°C REACH dossier information.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Not determined.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Dispose of waste product or used containers in accordance with local regulations Do not puncture or incinerate, even when empty.

## SECTION 14: Transport information

### 14.1. UN number

**UN No. (ADR/RID)** 1950

**UN No. (IMDG)** 1950

**UN No. (ICAO)** 1950

**UN No. (ADN)** 1950

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** AEROSOLS

**Proper shipping name (IMDG)** AEROSOLS

**Proper shipping name (ICAO)** AEROSOLS

**Proper shipping name (ADN)** AEROSOLS

### 14.3. Transport hazard class(es)

**ADR/RID class** 2.1

**ADR/RID classification code** 5F

**ADR/RID label** 2.1

**IMDG class** 2.1

**ICAO class/division** 2.1

**ADN class** 2.1

### Transport labels



## Armor All® Cockpit Shine Lemon Fresh

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

**EmS** F-D, S-U

**ADR transport category** 2

**Tunnel restriction code** (D)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78  
and the IBC Code**

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** EH40/2005 Workplace exposure limits.

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 2015/830 of 28 May 2015.  
Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (as amended).  
Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## **SECTION 16: Other information**

### **Abbreviations and acronyms used in the safety data sheet**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.  
IMDG: International Maritime Dangerous Goods.  
IATA: International Air Transport Association.  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.  
ATE: Acute Toxicity Estimate.  
DNEL: Derived No Effect Level.  
LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.  
LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).  
PBT: Persistent, Bioaccumulative and Toxic substance.  
vPvB: Very Persistent and Very Bioaccumulative.  
BCF: Bioconcentration Factor.

## Armor All® Cockpit Shine Lemon Fresh

|                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Classification procedures according to Regulation (EC) 1272/2008</b> | Aerosol 1 - H222, H229: Expert judgement. Asp. Tox. 1 - H304: On basis of test data., Calculation method. STOT SE 3 - H336, Eye Irrit. 2 - H319, Skin Irrit. 2 - H315, Aquatic Chronic 3 - H412: Calculation method.                                                                                                                                                                                                                                                                                                      |
| <b>Revision comments</b>                                                | Document revised.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Revision date</b>                                                    | 19/04/2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Revision</b>                                                         | 7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Supersedes date</b>                                                  | 12/09/2014                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>SDS number</b>                                                       | 550                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Hazard statements in full</b>                                        | H220 Extremely flammable gas.<br>H222 Extremely flammable aerosol.<br>H225 Highly flammable liquid and vapour.<br>H229 Pressurised container: may burst if heated<br>H280 Contains gas under pressure; may explode if heated.<br>H304 May be fatal if swallowed and enters airways.<br>H315 Causes skin irritation.<br>H319 Causes serious eye irritation.<br>H336 May cause drowsiness or dizziness.<br>H411 Toxic to aquatic life with long lasting effects.<br>H412 Harmful to aquatic life with long lasting effects. |

The information supplied here is accurate to the best knowledge and belief of Armored Auto UK Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Armored Auto UK Ltd assumes any legal responsibility. Any information or advice obtained from Armored Auto UK Ltd other than by means of this publication, and whether relating to Armored Auto UK Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Armored Auto UK Ltd when used instead of, or in conjunction with materials supplied by Armored Auto UK Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Armored Auto UK Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.