



HYBRID SOLUTIONS PURE SEAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : HYBRID SOLUTIONS PURE SEAL
UFI : 58MN-H3US-H00U-WJ47
Product code : SDS-191-J-1.0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public

1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited

GB: Turtle Wax Europe Limited, Alaska House, Atlantic Park, Dunnings Bridge Road, Liverpool, L30 4AB.

EU: Turtle Wax EU B.V., WTC Schiphol Airport, D Tower, 11th Floor, Schiphol Boulevard 359, 1118 BJ, Amsterdam Schiphol, The Netherlands.

T : GB & EU +44 (0) 845 600 3663

MSDS@turtlewax.com

1.4. Emergency telephone number

Emergency number : GB & EU +44 (0) 845 600 3663
Office hours only 08:30 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Contains :

Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me

Hazard statements (CLP) :

H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.

P273 - Avoid release to the environment.

P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

P501 - Dispose of contents / container in accordance with local / national regulations.

Child-resistant fastening :

Not applicable

Tactile warning :

Not applicable

HYBRID SOLUTIONS PURE SEAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

Contains PBTvPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Decamethylcyclopentasiloxane (541-02-6), Dodecamethylcyclohexasiloxane (540-97-6)
Substance(s) meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Decamethylcyclopentasiloxane (541-02-6), Dodecamethylcyclohexasiloxane (540-97-6)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Decamethylcyclopentasiloxane (541-02-6), Dodecamethylcyclohexasiloxane (540-97-6)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
SILICONE QUATERNIUM-17	CAS-No.: 519142-86-0	10 – 20	Aquatic Chronic 2, H411
Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me	CAS-No.: 71750-79-3 EC-No.: 615-336-9	1 – 10	Skin Irrit. 2, H315 Eye Dam. 1, H318
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	1 – 10	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	1 – 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Alcohols, C16-18, ethoxylated	CAS-No.: 68439-49-6	1 – 10	Eye Irrit. 2, H319
Isotridecanol, ethoxylated (8 EO)	CAS-No.: 9043-30-5 EC-No.: 500-027-2 REACH-no: 02-2119552461-55	1 – 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Decamethylcyclopentasiloxane substance listed on REACH Candidate List PBT substance; vPvB substance	CAS-No.: 541-02-6 EC-No.: 208-764-9	0.1 – 1	Not classified
Dodecamethylcyclohexasiloxane substance listed on REACH Candidate List PBT substance; vPvB substance	CAS-No.: 540-97-6 EC-No.: 208-762-8	0.1 – 1	Not classified
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7	0.1 – 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

HYBRID SOLUTIONS PURE SEAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

No additional information available

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

No additional information available

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

No additional information available

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

No additional information available

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

HYBRID SOLUTIONS PURE SEAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Translucent. pink.
Odour	: Bubblegum.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 4.85
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.01
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

HYBRID SOLUTIONS PURE SEAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Isotridecanol, ethoxylated (69011-36-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Decamethylcyclopentasiloxane (541-02-6)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	8.67 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OTS 798.1150 (Acute inhalation toxicity), 95% CL: 7,3 - 10,32

Dodecamethylcyclohexasiloxane (540-97-6)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Isotridecanol, ethoxylated (69011-36-5)	
LD50 oral rat	500 – 2000
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Isotridecanol, ethoxylated (8 EO) (9043-30-5)	
LD50 oral	> 500 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCb) (1222-05-5)	
LD50 oral rat	> 4640 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 10000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation : Not classified
pH: 4.85
Serious eye damage/irritation : Causes serious eye damage.
pH: 4.85
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified

HYBRID SOLUTIONS PURE SEAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)

NOAEL (animal/female, F0/P)	20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products
NOAEL (animal/female, F1)	20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Isotridecanol, ethoxylated (69011-36-5)

NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
----------------------------	---

Decamethylcyclopentasiloxane (541-02-6)

NOAEL (oral, rat, 90 days)	≥ 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	≥ 1600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Dodecamethylcyclohexasiloxane (540-97-6)

NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	--

Isotridecanol, ethoxylated (69011-36-5)

NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
----------------------------	---

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)

NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
----------------------------	---

Aspiration hazard : Not classified

Decamethylcyclopentasiloxane (541-02-6)

Viscosity, kinematic	3.7 mm ² /s Temp.: 'other:25.0°C' Parameter: 'kinematic viscosity (in mm ² /s)'
----------------------	---

Dodecamethylcyclohexasiloxane (540-97-6)

Viscosity, kinematic	5.6 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'
----------------------	---

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

HYBRID SOLUTIONS PURE SEAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Isotridecanol, ethoxylated (69011-36-5)

EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna
----------------------	--

Decamethylcyclopentasiloxane (541-02-6)

LC50 - Fish [1]	> 16 µg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
-----------------	--

EC50 - Crustacea [1]	> 2.9 µg/l Test organisms (species): Daphnia magna
----------------------	--

Isotridecanol, ethoxylated (69011-36-5)

EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna
----------------------	--

Isotridecanol, ethoxylated (8 EO) (9043-30-5)

LC50 - Fish [1]	> 1 mg/l
-----------------	----------

EC50 - Other aquatic organisms [1]	> 1 mg/l waterflea
------------------------------------	--------------------

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)

EC50 72h - Algae [1]	0.723 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
----------------------	--

EC50 72h - Algae [2]	> 0.854 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
----------------------	--

LOEC (chronic)	0.075 mg/l Test organisms (species): other aquatic crustacea:Acartia tonsa Duration: '5,5 d'
----------------	--

12.2. Persistence and degradability

HYBRID SOLUTIONS PURE SEAL

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

SILICONE QUATERNIUM-17 (519142-86-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Isotridecanol, ethoxylated (69011-36-5)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Decamethylcyclopentasiloxane (541-02-6)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Dodecamethylcyclohexasiloxane (540-97-6)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Isotridecanol, ethoxylated (69011-36-5)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me (71750-79-3)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

HYBRID SOLUTIONS PURE SEAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isotridecanol, ethoxylated (8 EO) (9043-30-5)	
Persistence and degradability	Rapidly degradable
Alcohols, C16-18, ethoxylated (68439-49-6)	
Persistence and degradability	Rapidly degradable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Alcohols, C16-18, ethoxylated (68439-49-6)	
Partition coefficient n-octanol/water (Log Pow)	7.92

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Substance(s) meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Decamethylcyclopentasiloxane (541-02-6), Dodecamethylcyclohexasiloxane (540-97-6)
Substance(s) meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Decamethylcyclopentasiloxane (541-02-6), Dodecamethylcyclohexasiloxane (540-97-6)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

HP Code : HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

HYBRID SOLUTIONS PURE SEAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations $\geq 0.1\%$ or SCL: Decamethylcyclopentasiloxane (EC 208-764-9, CAS 541-02-6), Dodecamethylcyclohexasiloxane (EC 208-762-8, CAS 540-97-6)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

HYBRID SOLUTIONS PURE SEAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

Legal disclaimer: Turtle Wax Europe Limited. All rights reserved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date issued.

No warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the responsibility of the user or processor to satisfy themselves as to the suitability of such information for their own particular circumstances, conditions or use. This includes transportation, storage and disposal which are outside of our control.