

Revision date 09/22/2023

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** Prestone Corguard Anti Freeze RTU  
**Product Code(s)** NQA2485, PAFR0035B, PAFR0038B, PAFR0057B  
**Safety data sheet number** 0000008  
**Unique Formula Identifier (UFI)** 7P00-X057-500V-P4WG  
**Pure substance/mixture** Mixture

Contains Ethylene glycol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Anti-freeze and de-icing products  
**Uses advised against** No information available

### 1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u>	<u>Supplier</u>
Holts Auto Unit 100 Barton Dock Road Manchester United Kingdom M32 0YQ	Holt Lloyd Services, 52 Rue des 40 Mines, 60000 – Allonne, France

For further information, please contact

**Contact Point** www.holtsauto.com

**E-mail address** www.holtsauto.com

### 1.4. Emergency telephone number

**Emergency Telephone Number** Holt Lloyd International: UK - 00 44 (0) 161 866 4800 Office Hours - Mon - Thurs: 8am - 5pm. Fri - 8am - 1pm.  
00 44 (0) 161 886 4806 (24 Hour Voicemail).

Emergency Telephone Number	
<b>Europe</b>	<b>Europe: 00 44 (0) 161 866 4800 Office Hours - Mon - Thurs: 8am - 5pm. Fri - 8am - 1pm. 00 44 (0) 161 886 4806 (24 Hour Voicemail).</b>
<b>Austria</b>	+43 1 31304 5620; chemikalien@umweltbundesamt.at
<b>Belgium</b>	+32022649636; info@poisoncentre.be
<b>United Kingdom</b>	Holt Lloyd International: UK - 00 44 (0) 161 866 4800 Office Hours - Mon - Thurs: 8am - 5pm. Fri - 8am - 1pm.

00 44 (0) 161 886 4806 (24 Hour Voicemail).

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

*Regulation (EC) No 1272/2008*

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)

### 2.2. Label elements

Contains Ethylene glycol



#### Signal word

Warning

#### Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H373 - May cause damage to organs through prolonged or repeated exposure

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves and eye/face protection.

P501 - Dispose of contents/ container to an approved waste disposal plant.

#### Unknown aquatic toxicity

Contains 0.00098 % of components with unknown hazards to the aquatic environment.

#### Additional information

This product requires tactile warnings if supplied to the general public.

### 2.3. Other hazards

No information available.

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

**3.2 Mixtures**

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Ethylene glycol 107-21-1	25 - <50%	01-2119456816-28-00 00	203-473-3 (603-027-00-1)	Acute Tox. 4 (H302) STOT RE 2 (H373)	-	-	-
HEPTANOIC ACID 111-14-8	1 - <2.5%	No data available	203-838-7 (607-196-00-2)	Skin Corr. 1B (H314) Acute tox. 4 (H332) Eye dam. 1 (H318) STOT SE 3 (H335)	-	-	-
SODIUM HYDROXIDE 1310-73-2	0.5 - <1%	01-2119457892-27-00 00	215-185-5 (011-002-00-6)	Skin Corr. 1A (H314) Met. Corr. 1 (H290) Eye Dam. 1 (H318)	Eye Irrit. 2 :: 0.5%<=C<2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2%	-	-
D11014A CHROMATINT URANINE CONC (Yellow) 518-47-8	0.025 - <0.25%	01-2120115897-47-00 00	208-253-0	No data available	-	-	-
PHOSPHORIC ACID ...% 7664-38-2	0.025 - <0.25%	01-2119485924-24-00 00	231-633-2 (015-011-00-6)	Skin Corr. 1B (H314)	Eye Irrit. 2 :: 10%<=C<25% Skin Corr. 1B :: C>=25% Skin Irrit. 2 :: 10%<=C<25%	-	-
PROPAN-1-OL 71-23-8	0.025 - <0.25%	01-2119486761-29-00 00	200-746-9 (603-003-00-0)	Eye Dam. 1 (H318) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-

**Full text of H- and EUH-phrases: see section 16**

**Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Ethylene glycol 107-21-1	4700	10600	3.75	No data available	No data available
HEPTANOIC ACID 111-14-8	7000	2001	4.6	No data available	No data available
SODIUM HYDROXIDE 1310-73-2	325	1350	No data available	No data available	No data available
D11014A CHROMATINT URANINE CONC (Yellow) 518-47-8	6721	No data available	No data available	No data available	No data available
PHOSPHORIC ACID ...% 7664-38-2	1530	2740	0.2125	No data available	No data available
PROPAN-1-OL 71-23-8	1870	4049	33.8	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

### **4.1. Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

### **4.2. Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation.
<b>Effects of Exposure</b>	No information available.

### **4.3. Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.

### **5.2. Special hazards arising from the substance or mixture**

<b>Specific hazards arising from the chemical</b>	No information available.
---	---------------------------

### **5.3. Advice for firefighters**

<b>Special protective equipment and</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout
---	---

precautions for fire-fighters gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### **6.2. Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

### **6.3. Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### **6.4. Reference to other sections**

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

### **7.2. Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Storage class (TRGS 510)** Storage class 10.

### **7.3. Specific end use(s)**

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## **SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> *	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> STEL 20 ppm STEL 52 mg/m <sup>3</sup> H*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> D*	STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> TWA: 52 mg/m <sup>3</sup> TWA: 20 ppm K*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> *
SODIUM HYDROXIDE 1310-73-2	-	TWA: 2 mg/m <sup>3</sup> STEL 4 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2.0 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>
PHOSPHORIC ACID ...% 7664-38-2	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	STEL: 2.0 mg/m <sup>3</sup> TWA: 1.0 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
PROPAN-1-OL 71-23-8	-	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 250 mg/m <sup>3</sup>	STEL: 500.0 mg/m <sup>3</sup> TWA: 300.0 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 625 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Ethylene glycol 107-21-1	* STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> TWA: 20 ppm TWA: 52 mg/m <sup>3</sup>	TWA: 50 mg/m <sup>3</sup> Ceiling: 100 mg/m <sup>3</sup> D*	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> H* STEL: 104 mg/m <sup>3</sup> STEL: 40 ppm STEL: 20 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> A*	TWA: 20 ppm TWA: 50 mg/m <sup>3</sup> STEL: 40 ppm STEL: 100 mg/m <sup>3</sup> iho*
SODIUM HYDROXIDE 1310-73-2	-	TWA: 1 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
PHOSPHORIC ACID ...% 7664-38-2	STEL: 2.0 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
PROPAN-1-OL 71-23-8	-	TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup> D*	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> H* STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	-	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 620 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> *	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> H*	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> Peak: 20 ppm Peak: 52 mg/m <sup>3</sup> *	TWA: 50 ppm TWA: 125 mg/m <sup>3</sup> STEL: 50 ppm STEL: 125 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> b*
SODIUM HYDROXIDE 1310-73-2	TWA: 2 mg/m <sup>3</sup>	-	-	TWA: 2 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
PHOSPHORIC ACID ...% 7664-38-2	TWA: 0.2 ppm TWA: 1 mg/m <sup>3</sup> STEL: 0.5 ppm STEL: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> Peak: 4 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
PROPAN-1-OL 71-23-8	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	-	-	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 625 mg/m <sup>3</sup>	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> cute*	TWA: 25 ppm STEL: 50 ppm STEL: 10 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> Ada*	STEL: 20 ppm STEL: 50 mg/m <sup>3</sup> TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> O*
SODIUM HYDROXIDE 1310-73-2	STEL: 2 mg/m <sup>3</sup>	-	Ceiling: 2 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

PHOSPHORIC ACID ...% 7664-38-2	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
PROPAN-1-OL 71-23-8	TWA: 100 ppm STEL: 300 ppm Sk*	-	TWA: 100 ppm TWA: 246 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Ethylene glycol 107-21-1	STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> Peau*	STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> skin* TWA: 20 ppm TWA: 52 mg/m <sup>3</sup>	TWA: 52 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> H*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 104 mg/m <sup>3</sup> STEL: 40 ppm H*	STEL: 50 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup> skóra*
SODIUM HYDROXIDE 1310-73-2	-	-	-	Ceiling: 2 mg/m <sup>3</sup>	STEL: 1 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>
PHOSPHORIC ACID ...% 7664-38-2	STEL: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
PROPAN-1-OL 71-23-8	-	-	-	TWA: 100 ppm TWA: 245 mg/m <sup>3</sup> STEL: 150 ppm STEL: 306.25 mg/m <sup>3</sup> H*	STEL: 600 mg/m <sup>3</sup> TWA: 200 mg/m <sup>3</sup> skóra*
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> Ceiling: 100 mg/m <sup>3</sup> Cutânea*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> P*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> K* Ceiling: 104 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> K*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> vía dérmica*
SODIUM HYDROXIDE 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	-	STEL: 2 mg/m <sup>3</sup>
PHOSPHORIC ACID ...% 7664-38-2	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
PROPAN-1-OL 71-23-8	TWA: 200 ppm STEL: 400 ppm	TWA: 81 ppm TWA: 200 mg/m <sup>3</sup> STEL: 203 ppm STEL: 500 mg/m <sup>3</sup>	-	-	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup> vía dérmica*
Chemical name	Sweden		Switzerland		United Kingdom
Ethylene glycol 107-21-1	Bindande KGV: 40 ppm Bindande KGV: 104 mg/m <sup>3</sup> NGV: 10 ppm NGV: 25 mg/m <sup>3</sup> H*		TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> STEL: 20 ppm STEL: 52 mg/m <sup>3</sup> H*		TWA: 10 mg/m <sup>3</sup> TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> Sk*
SODIUM HYDROXIDE 1310-73-2	Bindande KGV: 2 mg/m <sup>3</sup> NGV: 1 mg/m <sup>3</sup>		TWA: 2 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>		STEL: 2 mg/m <sup>3</sup>
PHOSPHORIC ACID ...% 7664-38-2	Bindande KGV: 2 mg/m <sup>3</sup> NGV: 1 mg/m <sup>3</sup>		TWA: 2 mg/m <sup>3</sup> STEL: 4 mg/m <sup>3</sup>		TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
PROPAN-1-OL 71-23-8	Vägledande KGV: 250 ppm Vägledande KGV: 600 mg/m <sup>3</sup> NGV: 150 ppm NGV: 350 mg/m <sup>3</sup>		TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> H*		TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 625 mg/m <sup>3</sup> Sk*

**Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

**Derived No Effect Level (DNEL) - Workers**

Chemical name	Oral	Dermal	Inhalation
Ethylene glycol 107-21-1	-	106 mg/kg bw/day [4] [6]	35 mg/m <sup>3</sup> [5] [6]
HEPTANOIC ACID 111-14-8	-	14 mg/kg bw/day [4] [6]	98.7 mg/m <sup>3</sup> [4] [6]
SODIUM HYDROXIDE 1310-73-2	-	-	1 mg/m <sup>3</sup> [5] [6]
Neodecanoic acid 26896-20-8	-	29 mg/kg bw/day [4] [6]	86 mg/m <sup>3</sup> [4] [6]
sodium 4(or 5)-methyl-1H-benzotriazolide 64665-57-2	-	0.5 mg/kg bw/day [4] [6]	8.8 mg/m <sup>3</sup> [4] [6]
PROPAN-1-OL 71-23-8	-	136 mg/kg bw/day [4] [6]	268 mg/m <sup>3</sup> [4] [6] 1723 mg/m <sup>3</sup> [4] [7]
Denatonium Benzoate 3734-33-6	-	1.43 mg/kg bw/day [4] [6]	4.99 mg/m <sup>3</sup> [4] [6]

**Notes**

- [4] Systemic health effects.
- [5] Local health effects.
- [6] Long term.
- [7] Short term.

**Derived No Effect Level (DNEL) - General Public**

Chemical name	Oral	Dermal	Inhalation
Ethylene glycol 107-21-1	-	-	7 mg/m <sup>3</sup> [5] [6]
HEPTANOIC ACID 111-14-8	5 mg/kg bw/day [4] [6]	-	8.7 mg/m <sup>3</sup> [4] [6]
SODIUM HYDROXIDE 1310-73-2	-	-	1 mg/m <sup>3</sup> [5] [6]
Neodecanoic acid 26896-20-8	17.5 mg/kg bw/day [4] [6]	-	25.79 mg/m <sup>3</sup> [4] [6]
sodium 4(or 5)-methyl-1H-benzotriazolide 64665-57-2	0.25 mg/kg bw/day [4] [6] 0.54 mg/kg bw/day [4] [7]	-	4.4 mg/m <sup>3</sup> [4] [6]
PROPAN-1-OL 71-23-8	61 mg/kg bw/day [4] [6]	-	80 mg/m <sup>3</sup> [4] [6] 1036 mg/m <sup>3</sup> [4] [7]
Denatonium Benzoate 3734-33-6	0.51 mg/kg bw/day [4] [6]	-	0.768 mg/m <sup>3</sup> [4] [6]

**Notes**

- [4] Systemic health effects.
- [5] Local health effects.
- [6] Long term.
- [7] Short term.

**Predicted No Effect Concentration (PNEC)**

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Ethylene glycol 107-21-1	10 mg/L	10 mg/L	1 mg/L	10 mg/L	-
HEPTANOIC ACID 111-14-8	0.4 mg/L	0.612 mg/L	0.04 mg/L	-	-
Neodecanoic acid 26896-20-8	0.11 mg/L	-	0.011 mg/L	-	-
sodium 4(or 5)-methyl-1H-benzotriazoli de 64665-57-2	0.008 mg/L	0.086 mg/L	0.008 mg/L	-	-
PROPAN-1-OL 71-23-8	6.83 mg/L	10 mg/L	0.683 mg/L	-	-
Denatonium Benzoate 3734-33-6	0.1 mg/L	1 mg/L	10 µg/L	0.1 mg/L	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Ethylene glycol 107-21-1	37 mg/kg sediment dw	3.7 mg/kg sediment dw	199.5 mg/L	1.53 mg/kg soil dw	-
HEPTANOIC ACID 111-14-8	2.08 mg/kg sediment dw	0.21 mg/kg sediment dw	1000 mg/L	0.12 mg/kg soil dw	-
Neodecanoic acid 26896-20-8	-	-	-	-	0.0167 g/kg food
sodium 4(or 5)-methyl-1H-benzotriazoli de 64665-57-2	0.0025 mg/kg sediment dw	0.0025 mg/kg sediment dw	39.4 mg/L	0.0024 mg/kg soil dw	-
PROPAN-1-OL 71-23-8	27.5 mg/kg sediment dw	2.75 mg/kg sediment dw	96 mg/L	1.49 mg/kg soil dw	-
Denatonium Benzoate 3734-33-6	25 mg/kg sediment dw	2.5 mg/kg sediment dw	-	4.95 mg/kg soil dw	-

## **8.2. Exposure controls**

<b>Engineering controls</b>	No information available.
<b>Personal protective equipment</b>	
<b>Eye/face protection</b>	If splashes are likely to occur, wear safety glasses with side-shields.
<b>Hand protection</b>	Wear suitable gloves. Impervious gloves.
<b>Skin and body protection</b>	Wear suitable protective clothing. Long sleeved clothing.
<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>General hygiene considerations</b>	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

Environmental exposure controls No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Color	yellow
Odor	No information available.
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	-37 °C	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	8.3	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	Miscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapor pressure	No data available	None known
Relative density	1.071 @ 20°C	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Not applicable

#### 9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.

**Explosion data**

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

**10.3. Possibility of hazardous reactions**

Possibility of hazardous reactions None under normal processing.

**10.4. Conditions to avoid**

Conditions to avoid None known based on information supplied.

**10.5. Incompatible materials**

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

**10.6. Hazardous decomposition products**

Hazardous decomposition products None known based on information supplied.

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Information on likely routes of exposure**

**Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Symptoms related to the physical, chemical and toxicological characteristics**

Symptoms Redness. May cause redness and tearing of the eyes.

**Acute toxicity**

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,280.20 mg/kg
ATEmix (dermal)	6,880.30 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	7.54 mg/l

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene glycol	= 4700 mg/kg ( Rat )	= 10600 mg/kg ( Rat )	> 2.5 mg/L ( Rat ) 6 h
HEPTANOIC ACID	= 7000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 4.6 mg/L ( Rat ) 4 h
SODIUM HYDROXIDE	= 325 mg/kg ( Rat )	= 1350 mg/kg ( Rabbit )	-
D11014A CHROMATINT URANINE CONC (Yellow)	= 6721 mg/kg ( Rat )	-	-
PHOSPHORIC ACID ...%	= 1530 mg/kg ( Rat )	= 2740 mg/kg ( Rabbit )	> 850 mg/m <sup>3</sup> ( Rat ) 1 h
PROPAN-1-OL	= 1870 mg/kg ( Rat )	= 4049 mg/kg ( Rabbit )	> 33.8 mg/L ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.
<b>Aspiration hazard</b>	No information available.

**11.2. Information on other hazards**

**11.2.1. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

**11.2.2. Other information**

**Other adverse effects** No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity

**Unknown aquatic toxicity** Contains 0.00098 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene glycol	EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =41000mg/L (96h, Oncorhynchus mykiss) LC50: 14 - 18mL/L (96h, Oncorhynchus mykiss) LC50: =27540mg/L (96h, Lepomis macrochirus) LC50: =40761mg/L (96h, Oncorhynchus mykiss) LC50: 40000 - 60000mg/L (96h, Pimephales promelas) LC50: =16000mg/L (96h, Poecilia reticulata)	-	EC50: =46300mg/L (48h, Daphnia magna)
HEPTANOIC ACID	-	LC50: >92mg/L (96h, Pimephales promelas)	-	-
SODIUM HYDROXIDE	-	LC50: =45.4mg/L (96h, Oncorhynchus mykiss)	-	-
PROPAN-1-OL	-	LC50: =4480mg/L (96h, Pimephales promelas)	-	EC50: =3642mg/L (48h, Daphnia magna) EC50: 3339 - 3977mg/L (48h, Daphnia magna)

### 12.2. Persistence and degradability

**Persistence and degradability** No information available.

### 12.3. Bioaccumulative potential

#### Bioaccumulation

#### Component Information

Chemical name	Partition coefficient
Ethylene glycol	-1.36
HEPTANOIC ACID	2.72
D11014A CHROMATINT URANINE CONC (Yellow)	2.16
PHOSPHORIC ACID ...%	-0.9
PROPAN-1-OL	0.2

### 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Ethylene glycol	The substance is not PBT / vPvB
HEPTANOIC ACID	The substance is not PBT / vPvB
SODIUM HYDROXIDE	The substance is not PBT / vPvB
D11014A CHROMATINT URANINE CONC (Yellow)	The substance is not PBT / vPvB
PHOSPHORIC ACID ...%	The substance is not PBT / vPvB
PROPAN-1-OL	The substance is not PBT / vPvB

**12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

**12.7. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**SECTION 14: Transport information**

**IATA**

- 14.1 UN number or ID number Not regulated
- 14.2 UN proper shipping name Not regulated
- 14.3 Transport hazard class(es) Not regulated
- 14.4 Packing group Not regulated
- 14.5 Environmental hazards Not applicable
- 14.6 Special precautions for user
- Special Provisions None

**IMDG**

- 14.1 UN number or ID number Not regulated
- 14.2 UN proper shipping name Not regulated
- 14.3 Transport hazard class(es) Not regulated
- 14.4 Packing group Not regulated
- 14.5 Environmental hazards Not applicable
- 14.6 Special precautions for user
- Special Provisions None
- 14.7 Maritime transport in bulk according to IMO instruments No information available

**RID**

- 14.1 UN number or ID number Not regulated
- 14.2 UN proper shipping name Not regulated
- 14.3 Transport hazard class(es) Not regulated
- 14.4 Packing group Not regulated
- 14.5 Environmental hazards Not applicable
- 14.6 Special precautions for user

Special Provisions None

**ADR**

14.1 UN number or ID number Not regulated  
 14.2 UN proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing group Not regulated  
 14.5 Environmental hazards Not applicable  
 14.6 Special precautions for user  
 Special Provisions None

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations**

**France**

**Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
Ethylene glycol - 107-21-1	RG 84
PROPAN-1-OL - 71-23-8	RG 84

**Germany**

Water hazard class (WGK) slightly hazardous to water (WGK 1)

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorizations and/or restrictions on use:**

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
HEPTANOIC ACID - 111-14-8	75.	-
SODIUM HYDROXIDE - 1310-73-2	75.	-
D11014A CHROMATINT URANINE CONC (Yellow) - 518-47-8	75.	-
PHOSPHORIC ACID ...% - 7664-38-2	75.	-
PROPAN-1-OL - 71-23-8	75.	-

**Persistent Organic Pollutants**

Not applicable

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**Biocidal Products Regulation (EU) No 528/2012 (BPR)**

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
PROPAN-1-OL - 71-23-8	Product-type 2: Disinfectants and algacides not intended

	for direct application to humans or animals Product-type 4: Food and feed area Product-type 1: Human hygiene
--	---

**International Inventories**

<b>TSCA</b>	Contact supplier for inventory compliance status
<b>DSL/NDSL</b>	Contact supplier for inventory compliance status
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status
<b>ENCS</b>	Contact supplier for inventory compliance status
<b>IECSC</b>	Contact supplier for inventory compliance status
<b>KECL</b>	Contact supplier for inventory compliance status
<b>PICCS</b>	Contact supplier for inventory compliance status
<b>AIC</b>	Contact supplier for inventory compliance status
<b>NZIoC</b>	Contact supplier for inventory compliance status

**Legend:**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AIC** - Australian Inventory of Industrial Chemicals
- NZIoC** - New Zealand Inventory of Chemicals

**15.2. Chemical safety assessment**

**Chemical Safety Report**                      No information available

**SECTION 16: Other information**

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Full text of H-Statements referred to under section 3**

- H225 - Highly flammable liquid and vapor
- H290 - May be corrosive to metals
- H302 - Harmful if swallowed
- H314 - Causes severe skin burns and eye damage
- H318 - Causes serious eye damage
- H332 - Harmful if inhaled
- H335 - May cause respiratory irritation
- H336 - May cause drowsiness or dizziness
- H373 - May cause damage to organs through prolonged or repeated exposure

**Legend**

SVHC: Substances of Very High Concern for Authorization:

**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitizers		

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

Revision date 09/22/2023

**Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**

**Europe**

**EU SDS version information - EGHS**

UL release:  
 GHS Revision 7  
 2022 Q1

**Europe**

Partial process, including GHS Wizard, NO TW

Specific target organ toxicity (repeated exposure)	Category 2
--	------------

Full text of H-Statements referred to under section 3 H225 - Highly flammable liquid and vapor H290 - May be corrosive to metals H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage H332 - Harmful if inhaled H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness H373 - May cause damage to organs through prolonged or repeated exposure

Chemical name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)
Ethylene glycol	Acute Tox. 4 (H302) STOT RE 2 (H373)	
HEPTANOIC ACID	Skin Corr. 1B (H314) Acute tox. 4 (H332) Eye dam. 1 (H318) STOT SE 3 (H335)	
SODIUM HYDROXIDE	Skin Corr. 1A (H314) Met. Corr. 1 (H290) Eye Dam. 1 (H318)	Eye Irrit. 2 :: 0.5%≤C<2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%≤C<5% Skin Irrit. 2 :: 0.5%≤C<2%
PHOSPHORIC ACID ...%	Skin Corr. 1B (H314)	Eye Irrit. 2 :: 10%≤C<25% Skin Corr. 1B :: C>=25% Skin Irrit. 2 :: 10%≤C<25%
PROPAN-1-OL	Eye Dam. 1 (H318) STOT SE 3 (H336) Flam. Liq. 2 (H225)	

Chemical name	CAS No.	French RG number
Ethylene glycol	107-21-1	RG 84
PROPAN-1-OL	71-23-8	RG 84

**Storage class (TRGS 510)**

Storage class 10