

SAFETY DATA SHEET

1 of 3 Page

0

TYREFIT LIQUID 5 LTR.

Revision

Revision date

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY TYREFIT LIQUID 5 LTR.

Company

Autogem Motor Concepts LLP

Unit 6

Space Business Park

Abbey Road London Middlesex **NW107SU** England

sales@autogemconcepts.com www.autogemconcepts.com

+44 (0)208 838 0910 **Telephone Fax** +44 (0)208 838 1854

Product code TRL115

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

Product name

	Conc.	CAS	EINECS	Symbols/Risk phrases
5-Chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] {3 parts of} and 2-Methyl-4-isothiazolin-3-0ne [EC No 220-239-6] {1 part of}, mixture of	0 - 0.5%	55965-84-9		T; R23/24/25 C; R34 R43 N; R50/53
Triethanolamine dodecylbenzene sulphonate	1 - 10%	27323-41-7		Xi;R38 Xi;R41
Coconut diethanolamine	1 - 10%	68603-42-9		Xi;R38 Xi;R41

3. HAZARDS IDENTIFICATION

Main hazards Irritating to eyes. May cause sensitisation by skin contact.

4. FIRST AID MEASURES

Skin contact Irritating to skin. Wash off immediately with plenty of soap and water. Remove

contaminated clothing. Seek medical attention if irritation or symptoms persist.

Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the **Eve contact**

eyelids open. Seek medical attention if irritation or symptoms persist.

Inhalation Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest

and irritation of the respiratory system. Move the exposed person to fresh air. Seek

medical attention.

Ingestion may cause nausea and vomiting. Seek medical attention if irritation or Ingestion

symptoms persist. DO NOT INDUCE VOMITING.

TYREFIT LIQUID 5 LTR.

Revision 0
Revision date

5. FIRE FIGHTING MEASURES

Extinguishing media Carbon dioxide (CO2)

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area. Wear suitable protective equipment.

Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

Adopt best Manual Handling considerations when handling, carrying and dispensing.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in

correctly labelled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures Ensure adequate ventilation of the working area.

Respiratory protection Wear: Suitable respiratory equipment.

Hand protection Chemical resistant gloves (PVC)

Eye protection Approved safety goggles.

Protective equipment Wear chemical protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Viscous liquid.

Colour Green.
Odour Mild.
pH 9.0

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity May cause sensitisation by skin contact.

12. ECOLOGICAL INFORMATION

Ecotoxicity No data is available on this product.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

14. TRANSPORT INFORMATION

Further information The product is not classifed as dangerous for carriage.

TYREFIT LIQUID 5 LTR.

Revision 0

Revision date

15. REGULATORY INFORMATION

Labelling The product is classified in accordance with 67/548/EEC.

Risk phrases R36 - Irritating to eyes.

R43 - May cause sensitisation by skin contact.

Safety phrases S24 - Avoid contact with skin.

S37 - Wear suitable gloves.

16. OTHER INFORMATION

Text of risk phrases in

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

Section 2

R34 - Causes burns. R38 - Irritating to skin.

R41 - Risk of serious damage to eyes.

R43 - May cause sensitisation by skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the

safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other

process.